

	Hits	Search Text	DBs
1	1	link.in. and davidescu.in.	US-PGPUB; USPAT
2	337	"dump mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	59	"dump mode" and memory and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	12	"dump mode" and memory near3 test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	5090	713/164- 165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
6	2	713/164- 165,193,200;714/718,763,807.ccls. and "dump mode"	US-PGPUB; USPAT
7	26	"5058164".URPN.	USPAT
8	2	("4087626" "4157454").PN.	USPAT
9	60	"dump mode" and ((memory or data) near5 (access or protect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	74	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	404	713/193.ccls.	USPAT

	Hits	Search Text	DBs
13	0	713/193.ccls. and ((stop\$3 or prevent\$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT
14	109	(checksum or crc) with (intermediate near2 (result or output or signal or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	35664	(protect\$3 near3 (data or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	6606	((protect\$3 near3 (data or memory))) and (crc or checksum or signature or mac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	50	((protect\$3 near3 (data or memory))) and ((prevent\$3 or inhibit\$3 or allow\$3) near5 ((intermediate or cumulative) near2 (result\$1 or value\$1 or output\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT
19	16	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT
20	0	"6230291".URPN.	USPAT
21	3	("5506396" "5534786" "6006345").PN.	USPAT

	Hits	Search Text	DBs
22	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	5090	713/164- 165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
24	22	713/164- 165,193,200;714/718,763,807.ccls. and (\$2rom near5 (checksum or crc))	US-PGPUB; USPAT
25	5090	713/164- 165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
26	3	713/164- 165,193,200;714/718,763,807.ccls. and ((\$3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT
27	1	("5022077").PN.	USPAT; USOCR
28	243	(bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	16	((bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)) not signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	1	("6411941").PN.	USPAT; USOCR
31	1	("5421006").PN.	USPAT; USOCR
32	7	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT
33	69	(microcontroller\$1 near2 (advantage\$1 or benefit\$1)) and @ad<"20001127"	USPAT

	Hits	Search Text	DBs
34	25	("4211919" "4499556" "4521853" "4590552" "4698750" "4958276" "5012410" "5014191" "5067077" "5134700" "5168559" "5210841" "5247621" "5251304" "5278962" "5305460" "5355466" "5379443" "5396609" "5404450" "5404547" "5432950" "5446864" "5557743" "5581763").PN.	USPAT
35	15342	reset near5 latch\$3	USPAT
36	2318	reset near3 latch\$3 near6 gate and @ad<"20001127"	USPAT
37	70	(reset near3 latch\$3 near6 gate) and ((software or data) near2 protect\$3)	USPAT
38	1230	(reset near (circuit or means)) with latch	USPAT
39	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect\$3) and @ad<"20001127"	USPAT
40	2	reverse\$1engineer\$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	26	((reverse\$1engineer\$3 or trac\$3) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	((reverse\$1engineer\$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	200	((verif\$7 or authentic\$5) near2 (program or code)) with hash\$3	USPAT

	Hits	Search Text	DBs
44	2	("5787367" "5844986").PN.	USPAT
45	136	((device or system) near2 reset\$3) with exit\$3	USPAT
46	13	((device or system) near2 reset\$3) with (exit\$3 near3 (routine or module or execut\$3))	USPAT
47	1	link.in. and davidescu.in.	US-PGPUB; USPAT
48	14	"dump mode" and memory near3 test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	2	713/164- 165,193,200;714/718,763,807.ccls. and "dump mode"	US-PGPUB; USPAT
50	32	"5058164".URPN.	USPAT
51	63	"dump mode" and ((memory or data) near5 (access or protect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	82	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1	713/193.ccls. and ((stop\$3 or prevent\$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT
55	72	((protect\$3 near3 (data or memory))) and ((prevent\$3 or inhibit\$3 or allow\$3) near5 ((intermediate or cumulative) near2 (result\$1 or value\$1 or output\$1 or signal\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	0	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT
57	17	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT
58	0	"6230291".URPN.	USPAT
59	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	24	713/164-165,193,200;714/718,763,807.ccls. and (\$2rom near5 (checksum or crc))	US-PGPUB; USPAT
61	3	713/164-165,193,200;714/718,763,807.ccls. and ((\$3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT
62	18	((bios near2 rom) with (checksum or crc or sign\$5 or hash\$3)) not signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	9	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT
64	70	(microcontroller\$1 near2 (advantage\$1 or benefit\$1)) and @ad<"20001127"	USPAT
65	70	(reset near3 latch\$3 near6 gate) and ((software or data) near2 protect\$3)	USPAT
66	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect\$3) and @ad<"20001127"	USPAT

	Hits	Search Text	DBs
67	2	reverse\$1engineer\$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	((reverse\$1engineer\$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	13	((device or system) near2 reset\$3) with (exit\$3 near3 (routine or module or execut\$3))	USPAT
70	2093	711/154,156,163-164,166.ccls. and (@ad<"20001127" or @rlad<"20001127")	USPAT
71	0	S176 and ((dumb near2 mode) with (checksum or crc or hash))	USPAT
72	188	S176 and ((dumb near2 mode) or checksum or crc or hash)	USPAT
73	10	("4734568" "4811291" "4813024" "4864541" "5432950" "5465349" "5467396" "5517569" "5815577" "6061280").PN.	US-PGPUB; USPAT; USOCR
74	18	("4467444" "4584665" "4698750" "5099516" "5101498" "5144659" "5175840" "5191608" "5224166" "5251304" "5255244" "5282247" "5349249" "5351216" "5379433" "5386469" "5388157" "5396609").PN.	US-PGPUB; USPAT; USOCR
75	6	("5860099").URPN.	USPAT

	Hits	Search Text	DBs
76	3805784	(\$5controller\$1 or \$5processor\$1 or semi\$1conductor\$1 or chip\$1 or "ic card")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	3	S182 and ((\$3rom or non\$1volatile) near4 (software or information or code or content or microcode) near2 (sensitive or proprietary)) and ((illicit or unauthorized or illegal) near2 (access or read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	0	(dumb near2 (mode or memory)) same ((intermediate or partial) near2 (checksum or crc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	11	(checksum or crc) same ((prevent\$3 or stop\$3 or allow\$3) near3 (reconstruct\$3 or reconstitut\$3 or deduc\$3 or trac\$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	0	(dumb near2 (memory or mode)) same ((prevent\$3 or stop\$3) near3 (reconstruct\$3 or reconstitut\$3 or deduc\$3 or trac\$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB